

Identification: #196

Client: Ultimate Fitness Events
1931 King Street E Suite 119

DOB:

Account #: 119389

Sex:

Requisition #:

Collected by: MSTEVENS MRT (R)

Accession #: 171103-06994

Collected: 10/28/2017

Specimen Type: Urine

Received: 11/03/2017 12:27 PM

HAMILTON, ON 00000

Phone: (647)887-0753

Reported: 11/07/2017 3:08 PM

Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: #342

DOB:
Sex:
Collected by: MSTEVENS MRT (R)
Collected: 10/28/2017
Received: 11/03/2017 12:27 PM
Reported: 11/07/2017 3:08 PM

Account #: 119389
Requisition #:
Accession #: 171103-06993
Specimen Type: Urine

Client: Ultimate Fitness Events
1931 King Street E Suite 119
HAMILTON, ON 00000
Phone: (647)887-0753
Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.
- Specimen is dilute (see Creatinine)

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Specimen Validity Tests

Test	Result	Method	Reference Range
Creatinine	19.8 mg/dL	Colorimetric	≥20 mg/dL

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Chief Toxicologist: Wayne Ross, M.C.L.S. / MT(AAB)
Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay	TLC - Thin Layer Chromatography
EIA - Enzyme-Immunoassay	GC-FID - Gas Chromatography - Flame Ionization Detector
ELISA - Enzyme-Linked Immunosorbent Assay	GC/MS - Gas Chromatography / Mass Spectrometry
RIA - Radio-Immunoassay	LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 296

DOB:

Sex:

Collected by: MSTEVENS MRT (R)

Collected: 10/28/2017

Received: 11/03/2017 12:27 PM

Reported: 11/07/2017 3:08 PM

Account #: 119389

Requisition #:

Accession #: 171103-06992

Specimen Type: Urine

Client: Ultimate Fitness Events

1931 King Street E Suite 119

HAMILTON, ON 00000

Phone: (647)887-0753

Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: #657

Client: Ultimate Fitness Events
1931 King Street E Suite 119

DOB: **Account #:** 119389
Sex: **Requisition #:**
Collected by: MSTEVENS MRT (R) **Accession #:** 171103-06991
Collected: 10/28/2017 **Specimen Type:** Urine
Received: 11/03/2017 12:26 PM
Reported: 11/07/2017 3:08 PM

HAMILTON, ON 00000
Phone: (647)887-0753
Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochlormethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: #417

Client: Ultimate Fitness Events
1931 King Street E Suite 119

DOB: **Account #:** 119389
Sex: **Requisition #:**
Collected by: MSTEVENS MRT (R) **Accession #:** 171103-06990
Collected: 10/28/2017 **Specimen Type:** Urine
Received: 11/03/2017 12:26 PM
Reported: 11/07/2017 3:08 PM

HAMILTON, ON 00000
Phone: (647)887-0753
Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.