

Identification: 104

DOB:
Sex:
Collected by: DR. SHAWN JENNINGS
Collected: 06/18/2016
Received: 06/22/2016 9:49 AM
Reported: 06/24/2016 5:15 PM

Account #: 131535
Requisition #: 900007
Accession #: 160622-01174
Specimen Type: Urine

Client: Ultimate Fitness Events - USA
600 Golden Gate St
Lake Orion, MI 48362-3823
Phone: (248)760-4653

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone, 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 400

DOB:
Sex:
Collected by: DR. SHAWN JENNINGS
Collected: 06/18/2016
Received: 06/22/2016 9:49 AM
Reported: 06/24/2016 5:15 PM

Account #: 131535
Requisition #: 900004
Accession #: 160622-01175
Specimen Type: Urine

Client: Ultimate Fitness Events - USA
600 Golden Gate St
Lake Orion, MI 48362-3823
Phone: (248)760-4653

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone, 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 709

Client: Ultimate Fitness Events - USA

DOB:

Account #: 131535

600 Golden Gate St

Sex:

Requisition #: 900006

Lake Orion, MI 48362-3823

Collected by: DR. SHAWN JENNINGS

Accession #: 160622-01176

Phone: (248)760-4653

Collected: 06/18/2016

Specimen Type: Urine

Received: 06/22/2016 9:50 AM

Reported: 06/24/2016 5:15 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone, 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: 802

Client: Ultimate Fitness Events - USA

DOB:

Account #: 131535

600 Golden Gate St

Sex:

Requisition #: 900005

Lake Orion, MI 48362-3823

Collected by: DR. SHAWN JENNINGS

Accession #: 160622-01177

Phone: (248)760-4653

Collected: 06/18/2016

Specimen Type: Urine

Received: 06/22/2016 9:50 AM

Reported: 06/24/2016 5:15 PM

Final Result Summary

- None Detected; none of the analytes tested were detected.

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone, 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.