

Identification: #063

DOB:

Sex:

Collected by: MSTER..

Collected: 10/29/2016

Received: 11/07/2016 11:52 AM

Reported: 11/09/2016 2:37 PM

Account #: 119389

Requisition #:

Accession #: 161107-05334

Specimen Type: Urine

Client: Ultimate Fitness Events

1931 King Street E Suite 119

Hamilton, ON 00000

Phone: (647)887-0753

Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.
- **See additional comments at the end of this report

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

ILLEGIBLE LABEL: Collector Illegible.

Some of the information from the specimen bottle label was unreadable. If corrections are required please call.

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: #176

DOB:

Sex:

Collected by: MSTER..

Collected: 10/29/2016

Received: 11/07/2016 11:52 AM

Reported: 11/09/2016 2:37 PM

Account #: 119389

Requisition #:

Accession #: 161107-05333

Specimen Type: Urine

Client: Ultimate Fitness Events

1931 King Street E Suite 119

Hamilton, ON 00000

Phone: (647)887-0753

Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.
- **See additional comments at the end of this report

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

ILLEGIBLE LABEL: Collector Illegible.

Some of the information from the specimen bottle label was unreadable. If corrections are required please call.

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: #801

DOB:
Sex:
Collected by: MSTER..
Collected: 10/29/2016
Received: 11/07/2016 11:50 AM
Reported: 11/09/2016 2:37 PM

Account #: 119389
Requisition #:
Accession #: 161107-05331
Specimen Type: Urine

Client: Ultimate Fitness Events
1931 King Street E Suite 119
Hamilton, ON 00000
Phone: (647)887-0753
Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.
- **See additional comments at the end of this report

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metatabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

ILLEGIBLE LABEL: Collector Illegible.

Some of the information from the specimen bottle label was unreadable. If corrections are required please call.

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: #018

DOB:

Sex:

Collected by: MSTER..

Collected: 10/29/2016

Received: 11/07/2016 11:50 AM

Reported: 11/09/2016 2:37 PM

Account #: 119389

Requisition #:

Accession #: 161107-05330

Specimen Type: Urine

Client: Ultimate Fitness Events

1931 King Street E Suite 119

Hamilton, ON 00000

Phone: (647)887-0753

Fax: (905)549-1156

Final Result Summary

- None Detected; none of the analytes tested were detected.
- **See additional comments at the end of this report

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

Comments:

ILLEGIBLE LABEL: Collector Illegible.

Some of the information from the specimen bottle label was unreadable. If corrections are required please call.

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.

Identification: #463

DOB:

Account #: 119389

Client: Ultimate Fitness Events

Sex:

Requisition #:

1931 King Street E Suite 119

Collected by: MSTER..

Accession #: 161107-05332

Hamilton, ON 00000

Collected: 10/29/2016

Specimen Type: Urine

Phone: (647)887-0753

Received: 11/07/2016 11:51 AM

Fax: (905)549-1156

Reported: 11/08/2016 6:08 AM

Final Result Summary

- Laboratory unable to perform one or more of the requested tests.
- **See additional comments at the end of this report

Tests Ordered

- 5550 - Anabolic Steroids and Agents

Drug Tests

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
Anabolic Steroids and Agents					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)		GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)		GC/MS	2 ng/mL		
6a-Methylandrostendione metabolite		GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)		GC/MS	6 T/E Ratio		
Bolasterone metabolite		GC/MS	2 ng/mL		
Boldenone metabolite(s)		GC/MS	2 ng/mL		
Calusterone metabolite(s)		GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)		GC/MS	1 ng/mL		
Clostebol metabolite(s)		GC/MS	2 ng/mL		
Danazol metabolite(s)		GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)		GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)		GC/MS	2 ng/mL		
Drostanolone &/or metabolites		GC/MS	2 ng/mL		
Epitestosterone (masking agent)		GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)		GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)		GC/MS	2 ng/mL		
Formebolone metabolite(s)		GC/MS	2 ng/mL		
Furazabol metabolite		GC/MS	2 ng/mL		
Halodrol metabolite		GC/MS	2 ng/mL		
Mestanolone metabolite		GC/MS	2 ng/mL		
Mesterolone metabolite(s)		GC/MS	2 ng/mL		
Methandriol metabolite(s)		GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)		GC/MS	2 ng/mL		
Methasterone &/or metabolite		GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)		GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)		GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)		GC/MS	2 ng/mL		
Mibolerone metabolite		GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)		GC/MS	2 ng/mL		
Norclostebol metabolite(s)		GC/MS	2 ng/mL		
Norethandrolone metabolite(s)		GC/MS	2 ng/mL		

Oxabolone &/or metabolite(s)	GC/MS	2 ng/mL		
Oxandrolone &/or metabolite	GC/MS	2 ng/mL		
Oxymesterone	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	GC/MS	2 ng/mL		
Probenecid (masking agent)	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	GC/MS	2 ng/mL		
Trenbolone metabolite	GC/MS	10 ng/mL		

Comments:

Quantity not sufficient for analysis (specimen leaked in transit)

ILLEGIBLE LABEL: Collector Illegible.

Some of the information from the specimen bottle label was unreadable. If corrections are required please call.

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

Method Index

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

Specimens are disposed of as follows: Negatives - after two days; Positives - after three months.