



**Identification:** BRANDT WELCHER  
**DOB:**  
**Sex:**  
**Collected by:** DR. SHAWN JENNINGS  
**Collected:** 09/25/2021 00:00 AM  
**Received:** 10/04/2021 12:24 PM  
**Reported:** 10/06/2021 10:58 AM

**Account #:** 131535  
**Requisition #:** 900088  
**Accession #:** 211004-04770  
**Specimen Type:** Urine

**Client:** Ultimate Fitness Events - USA  
 1015 Bald Eagle Lake Rd,  
 ORTONVILLE, MI 48462-8435  
 Phone: (248)760-4653

Summary
• NEGATIVE

Tests Ordered
• 5550 - Anabolic Steroids and Agents GC-MS Screen with Confirmation, Urine

**Drug Tests**

Drug or Drug Class	Screen			Confirmation		
	Method	Cutoff	Result	Method	Cutoff	Result
<b>Anabolic Steroids and Agents</b>						
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
4-Hydroxytestosterone, Formestane &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
6a-Methylandrostendione metabolite	GC/MS	2 ng/mL	Negative			
Androstendiol, Androstendione or Testosterone (T/E Ratio)	GC/MS	6 T/E Ratio	Negative			
Bolasterone metabolite	GC/MS	2 ng/mL	Negative			
Boldenone metabolite(s)	GC/MS	2 ng/mL	Negative			
Calusterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Clenbuterol (anabolic agent)	GC/MS	1 ng/mL	Negative			
Clostebol metabolite(s)	GC/MS	2 ng/mL	Negative			
Danazol metabolite(s)	GC/MS	2 ng/mL	Negative			
Dehydrochlormethyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Desoxymethyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Drostanolone &/or metabolites	GC/MS	2 ng/mL	Negative			
Epitestosterone (masking agent)	GC/MS	200 ng/mL	Negative			
Estra-4,9-dien-3,17-dione metabolite(s)	GC/MS	2 ng/mL	Negative			
Fluoxymesterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Formebolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Furazabol metabolite	GC/MS	2 ng/mL	Negative			
Halodrol metabolite	GC/MS	2 ng/mL	Negative			
Mestanolone metabolite	GC/MS	2 ng/mL	Negative			
Mesterolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Methandriol metabolite(s)	GC/MS	2 ng/mL	Negative			
Methandrostenolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Methasterone &/or metabolite	GC/MS	2 ng/mL	Negative			
Methenolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Methyl-1-testosterone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Methyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Mibolerone metatabolite	GC/MS	2 ng/mL	Negative			
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	GC/MS	2 ng/mL	Negative			
Norclostebol metabolite(s)	GC/MS	2 ng/mL	Negative			
Norethandrolone metabolite(s)	GC/MS	2 ng/mL	Negative			



Oxabolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Oxandrolone &/or metabolite	GC/MS	2 ng/mL	Negative			
Oxymesterone	GC/MS	2 ng/mL	Negative			
Oxymetholone metabolite(s)	GC/MS	2 ng/mL	Negative			
Probenecid (masking agent)	GC/MS	100 ng/mL	Negative			
Prostanozol metabolite(s)	GC/MS	2 ng/mL	Negative			
Stanozolol metabolite(s)	GC/MS	2 ng/mL	Negative			
Stenbolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Testolactone (anti-estrogen) metabolite	GC/MS	2 ng/mL	Negative			
Trenbolone metabolite	GC/MS	10 ng/mL	Negative			

**Comments:**

**Method Index**

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

IA - Immunoassay

LC-MS/MS - Liquid Chromatography Tandem Mass Spectrometry

**Terminology Index**

Cutoff - The concentration level above which the presence of a drug or drug class in the sample will be reported as Presumptive Positive or Positive.

Presumptive Positive - Preliminary unconfirmed analytical result indicating presence of drug or drug class above the applicable Cutoff .

Negative - Analytical result indicating drug or drug class not detected above the applicable Cutoff .

Positive - Confirmatory analytical result indicating presence of drug or drug class above the applicable Cutoff .



**Identification:** N/2 / JASON STEMA  
**DOB:**  
**Sex:**  
**Collected by:** DR. SHAWN JENNINGS  
**Collected:** 09/25/2021 00:00 AM  
**Received:** 10/01/2021 9:01 AM  
**Reported:** 10/05/2021 12:59 PM

**Account #:** 131535  
**Requisition #:** 900087  
**Accession #:** 211001-00209  
**Specimen Type:** Urine

**Client:** Ultimate Fitness Events - USA  
 1015 Bald Eagle Lake Rd,  
 ORTONVILLE, MI 48462-8435  
 Phone: (248)760-4653

Summary
• NEGATIVE

Tests Ordered
• 5550 - Anabolic Steroids and Agents GC-MS Screen with Confirmation, Urine

**Drug Tests**

Drug or Drug Class	Screen			Confirmation		
	Method	Cutoff	Result	Method	Cutoff	Result
<b>Anabolic Steroids and Agents</b>						
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
4-Hydroxytestosterone, Formestane &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
6a-Methylandrostendione metabolite	GC/MS	2 ng/mL	Negative			
Androstendiol, Androstendione or Testosterone (T/E Ratio)	GC/MS	6 T/E Ratio	Negative			
Bolasterone metabolite	GC/MS	2 ng/mL	Negative			
Boldenone metabolite(s)	GC/MS	2 ng/mL	Negative			
Calusterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Clenbuterol (anabolic agent)	GC/MS	1 ng/mL	Negative			
Clostebol metabolite(s)	GC/MS	2 ng/mL	Negative			
Danazol metabolite(s)	GC/MS	2 ng/mL	Negative			
Dehydrochlormethyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Desoxymethyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Drostanolone &/or metabolites	GC/MS	2 ng/mL	Negative			
Epitestosterone (masking agent)	GC/MS	200 ng/mL	Negative			
Estra-4,9-dien-3,17-dione metabolite(s)	GC/MS	2 ng/mL	Negative			
Fluoxymesterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Formebolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Furazabol metabolite	GC/MS	2 ng/mL	Negative			
Halodrol metabolite	GC/MS	2 ng/mL	Negative			
Mestanolone metabolite	GC/MS	2 ng/mL	Negative			
Mesterolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Methandriol metabolite(s)	GC/MS	2 ng/mL	Negative			
Methandrostenolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Methasterone &/or metabolite	GC/MS	2 ng/mL	Negative			
Methenolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Methyl-1-testosterone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Methyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Mibolerone metatabolite	GC/MS	2 ng/mL	Negative			
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	GC/MS	2 ng/mL	Negative			
Norclostebol metabolite(s)	GC/MS	2 ng/mL	Negative			
Norethandrolone metabolite(s)	GC/MS	2 ng/mL	Negative			



Oxabolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Oxandrolone &/or metabolite	GC/MS	2 ng/mL	Negative			
Oxymesterone	GC/MS	2 ng/mL	Negative			
Oxymetholone metabolite(s)	GC/MS	2 ng/mL	Negative			
Probenecid (masking agent)	GC/MS	100 ng/mL	Negative			
Prostanozol metabolite(s)	GC/MS	2 ng/mL	Negative			
Stanozolol metabolite(s)	GC/MS	2 ng/mL	Negative			
Stenbolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Testolactone (anti-estrogen) metabolite	GC/MS	2 ng/mL	Negative			
Trenbolone metabolite	GC/MS	10 ng/mL	Negative			

**Comments:**

**Method Index**

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

IA - Immunoassay

LC-MS/MS - Liquid Chromatography Tandem Mass Spectrometry

**Terminology Index**

Cutoff - The concentration level above which the presence of a drug or drug class in the sample will be reported as Presumptive Positive or Positive.

Presumptive Positive - Preliminary unconfirmed analytical result indicating presence of drug or drug class above the applicable Cutoff .

Negative - Analytical result indicating drug or drug class not detected above the applicable Cutoff .

Positive - Confirmatory analytical result indicating presence of drug or drug class above the applicable Cutoff .



**Identification:** N/A / JOSCELYN FRITZSCHE

**Client:** Ultimate Fitness Events - USA

**DOB:** **Account #:** 131535  
**Sex:** **Requisition #:** 900089  
**Collected by:** DR. SHAWN JENNINGS **Accession #:** 211001-00031  
**Collected:** 09/25/2021 00:00 AM **Specimen Type:** Urine  
**Received:** 10/01/2021 8:24 AM  
**Reported:** 10/05/2021 12:59 PM

1015 Bald Eagle Lake Rd,  
 ORTONVILLE, MI 48462-8435  
 Phone: (248)760-4653

Summary
• NEGATIVE

Tests Ordered
• 5550 - Anabolic Steroids and Agents GC-MS Screen with Confirmation, Urine

**Drug Tests**

Drug or Drug Class	Screen			Confirmation		
	Method	Cutoff	Result	Method	Cutoff	Result
<b>Anabolic Steroids and Agents</b>						
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
4-Hydroxytestosterone, Formestane &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
6a-Methylandrostendione metabolite	GC/MS	2 ng/mL	Negative			
Androstendiol, Androstendione or Testosterone (T/E Ratio)	GC/MS	6 T/E Ratio	Negative			
Bolasterone metabolite	GC/MS	2 ng/mL	Negative			
Boldenone metabolite(s)	GC/MS	2 ng/mL	Negative			
Calusterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Clenbuterol (anabolic agent)	GC/MS	1 ng/mL	Negative			
Clostebol metabolite(s)	GC/MS	2 ng/mL	Negative			
Danazol metabolite(s)	GC/MS	2 ng/mL	Negative			
Dehydrochlormethyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Desoxymethyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Drostanolone &/or metabolites	GC/MS	2 ng/mL	Negative			
Epitestosterone (masking agent)	GC/MS	200 ng/mL	Negative			
Estra-4,9-dien-3,17-dione metabolite(s)	GC/MS	2 ng/mL	Negative			
Fluoxymesterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Formebolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Furazabol metabolite	GC/MS	2 ng/mL	Negative			
Halodrol metabolite	GC/MS	2 ng/mL	Negative			
Mestanolone metabolite	GC/MS	2 ng/mL	Negative			
Mesterolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Methandriol metabolite(s)	GC/MS	2 ng/mL	Negative			
Methandrostenolone metabolite(s)	GC/MS	2 ng/mL	Negative			
Methasterone &/or metabolite	GC/MS	2 ng/mL	Negative			
Methenolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Methyl-1-testosterone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Methyltestosterone metabolite(s)	GC/MS	2 ng/mL	Negative			
Mibolerone metatabolite	GC/MS	2 ng/mL	Negative			
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	GC/MS	2 ng/mL	Negative			
Norclostebol metabolite(s)	GC/MS	2 ng/mL	Negative			
Norethandrolone metabolite(s)	GC/MS	2 ng/mL	Negative			



Oxabolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Oxandrolone &/or metabolite	GC/MS	2 ng/mL	Negative			
Oxymesterone	GC/MS	2 ng/mL	Negative			
Oxymetholone metabolite(s)	GC/MS	2 ng/mL	Negative			
Probenecid (masking agent)	GC/MS	100 ng/mL	Negative			
Prostanozol metabolite(s)	GC/MS	2 ng/mL	Negative			
Stanozolol metabolite(s)	GC/MS	2 ng/mL	Negative			
Stenbolone &/or metabolite(s)	GC/MS	2 ng/mL	Negative			
Testolactone (anti-estrogen) metabolite	GC/MS	2 ng/mL	Negative			
Trenbolone metabolite	GC/MS	10 ng/mL	Negative			

**Comments:**

**Method Index**

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

IA - Immunoassay

LC-MS/MS - Liquid Chromatography Tandem Mass Spectrometry

**Terminology Index**

Cutoff - The concentration level above which the presence of a drug or drug class in the sample will be reported as Presumptive Positive or Positive.

Presumptive Positive - Preliminary unconfirmed analytical result indicating presence of drug or drug class above the applicable Cutoff .

Negative - Analytical result indicating drug or drug class not detected above the applicable Cutoff .

Positive - Confirmatory analytical result indicating presence of drug or drug class above the applicable Cutoff .