

**Identification:** #68 FERNANDO MACEDO

**Client:** Ultimate Fitness Events  
 1931 King Street E Suite 119  
 Hamilton, ON 00000  
 Phone: (647)887-0753  
 Fax: (905)549-1156

**DOB:** Account #: 119389  
**Sex:** Requisition #:   
**Collected by:** K BEDARD R... Accession #: 170516-08779  
**Collected:** 05/06/2017 Specimen Type: Urine  
**Received:** 05/16/2017 2:24 PM  
**Reported:** 05/18/2017 4:35 PM

**Final Result Summary**

• None Detected; none of the analytes tested were detected.  
 \*\*See additional comments at the end of this report

**Tests Ordered**

• 5550 - Anabolic Steroids and Agents

**Drug Tests**

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
<b>Anabolic Steroids and Agents</b>					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

**Comments:**

ILLEGIBLE LABEL: Collector Illegible.

Some of the information from the specimen bottle label was unreadable. If corrections are required please call.

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

**Method Index**

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

**Specimens are disposed of as follows:** Negatives - after two days; Positives - after three months.

**Identification:** #72 MICHAEL KEELY

**DOB:**

**Sex:**

**Collected by:** K BEDARD R...

**Collected:** 05/06/2017

**Received:** 05/16/2017 2:24 PM

**Reported:** 05/18/2017 4:35 PM

**Account #:** 119389

**Requisition #:**

**Accession #:** 170516-08778

**Specimen Type:** Urine

**Client:** Ultimate Fitness Events

1931 King Street E Suite 119

Hamilton, ON 00000

Phone: (647)887-0753

Fax: (905)549-1156

**Final Result Summary**

- None Detected; none of the analytes tested were detected.
- \*\*See additional comments at the end of this report

**Tests Ordered**

- 5550 - Anabolic Steroids and Agents

**Drug Tests**

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
<b>Anabolic Steroids and Agents</b>					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone, 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

**Comments:**

ILLEGIBLE LABEL: Collector Illegible.

Some of the information from the specimen bottle label was unreadable. If corrections are required please call.

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

**Method Index**

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

**Specimens are disposed of as follows:** Negatives - after two days; Positives - after three months.

**Identification:** #388 BRADLEY DEREN

**Client:** Ultimate Fitness Events  
 1931 King Street E Suite 119  
 Hamilton, ON 00000  
 Phone: (647)887-0753  
 Fax: (905)549-1156

**DOB:** **Account #:** 119389  
**Sex:** **Requisition #:**  
**Collected by:** K BEDARD RPN **Accession #:** 170516-08777  
**Collected:** 05/06/2017 **Specimen Type:** Urine  
**Received:** 05/16/2017 2:24 PM  
**Reported:** 05/18/2017 4:35 PM

**Final Result Summary**

- None Detected; none of the analytes tested were detected.

**Tests Ordered**

- 5550 - Anabolic Steroids and Agents

**Drug Tests**

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
<b>Anabolic Steroids and Agents</b>					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

**Comments:**

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

**Method Index**

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

**Specimens are disposed of as follows:** Negatives - after two days; Positives - after three months.

**Identification:** #500 BUFF WEELINGTON

**Client:** Ultimate Fitness Events  
 1931 King Street E Suite 119  
 Hamilton, ON 00000  
 Phone: (647)887-0753  
 Fax: (905)549-1156

**DOB:** **Account #:** 119389  
**Sex:** **Requisition #:**  
**Collected by:** K BED..D. RW.. **Accession #:** 170516-08775  
**Collected:** 05/06/2017 **Specimen Type:** Urine  
**Received:** 05/16/2017 2:23 PM  
**Reported:** 05/18/2017 4:35 PM

**Final Result Summary**

• None Detected; none of the analytes tested were detected.  
 \*\*See additional comments at the end of this report

**Tests Ordered**

• 5550 - Anabolic Steroids and Agents

**Drug Tests**

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
<b>Anabolic Steroids and Agents</b>					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Closterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrostenedione or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclosterbol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

**Comments:**

ILLEGIBLE LABEL: Collector Illegible.

Some of the information from the specimen bottle label was unreadable. If corrections are required please call.

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

**Method Index**

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

**Specimens are disposed of as follows:** Negatives - after two days; Positives - after three months.



**Identification:** #82 KENESHA STINCHOMBRE

**Client:** Ultimate Fitness Events

**DOB:** Account #: 119389  
**Sex:** Requisition #:   
**Collected by:** K BEDARD RPN Accession #: 170516-08776  
**Collected:** 05/06/2017 Specimen Type: Urine  
**Received:** 05/16/2017 2:23 PM  
**Reported:** 05/18/2017 4:35 PM

1931 King Street E Suite 119  
 Hamilton, ON 00000  
 Phone: (647)887-0753  
 Fax: (905)549-1156

**Final Result Summary**

- None Detected; none of the analytes tested were detected.

**Tests Ordered**

- 5550 - Anabolic Steroids and Agents

**Drug Tests**

Drug	Result	Screen		Confirmation	
		Method	Cutoff	Method	Cutoff
<b>Anabolic Steroids and Agents</b>					
1-Androstendiol, 1-Androstendione or 1-Testosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
4-Hydroxytestosterone, Formestane &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
6a-Methylandrosterone metabolite	Not detected	GC/MS	2 ng/mL		
Androstendiol, Androstendione or Testosterone (T/E Ratio)	Not detected	GC/MS	6 T/E Ratio		
Bolasterone metabolite	Not detected	GC/MS	2 ng/mL		
Boldenone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Calusterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Clenbuterol (anabolic agent)	Not detected	GC/MS	1 ng/mL		
Clostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Danazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Dehydrochloromethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Desoxymethyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Drostanolone &/or metabolites	Not detected	GC/MS	2 ng/mL		
Epitestosterone (masking agent)	Not detected	GC/MS	200 ng/mL		
Estra-4,9-dien-3,17-dione metabolite(s)	Not detected	GC/MS	2 ng/mL		
Fluoxymesterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Formebolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Furazabol metabolite	Not detected	GC/MS	2 ng/mL		
Halodrol metabolite	Not detected	GC/MS	2 ng/mL		
Mestanolone metabolite	Not detected	GC/MS	2 ng/mL		
Mesterolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandriol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methandrostenolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methasterone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Methenolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyl-1-testosterone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Methyltestosterone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Mibolerone metabolite	Not detected	GC/MS	2 ng/mL		
Nandrolone , 19-Norandrosterone or 19-Norandrost metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norclostebol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Norethandrolone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Oxabolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		

Oxandrolone &/or metabolite	Not detected	GC/MS	2 ng/mL		
Oxymesterone	Not detected	GC/MS	2 ng/mL		
Oxymetholone metabolite(s)	Not detected	GC/MS	2 ng/mL		
Probenecid (masking agent)	Not detected	GC/MS	100 ng/mL		
Prostanazol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stanozolol metabolite(s)	Not detected	GC/MS	2 ng/mL		
Stenbolone &/or metabolite(s)	Not detected	GC/MS	2 ng/mL		
Testolactone (anti-estrogen) metabolite	Not detected	GC/MS	2 ng/mL		
Trenbolone metabolite	Not detected	GC/MS	10 ng/mL		

**Comments:**

Analytical testing has been performed in accordance to all Redwood Toxicology Laboratory standard operating procedures and final results have been reviewed by laboratory certifying scientists.

Director of Sports Testing: Victor Uralets, Ph.D.

**Method Index**

EA - Enzyme Assay

EIA - Enzyme-Immunoassay

ELISA - Enzyme-Linked Immunosorbent Assay

RIA - Radio-Immunoassay

TLC - Thin Layer Chromatography

GC-FID - Gas Chromatography - Flame Ionization Detector

GC/MS - Gas Chromatography / Mass Spectrometry

LC/MS/MS - Liquid Chromatography Tandem Mass Spectrometry

**Specimens are disposed of as follows:** Negatives - after two days; Positives - after three months.